

Vita V

Spare parts list
Parts list




Modifications and errors excepted

Quality . Tradition . Innovation


71.48.700E

**Print mechanism VITA V 10X thermal transfer
pre-assembled w/o printhead**




71.48.700E

**Print mechanism VITA V 10X thermal transfer
pre-assembled w/o printhead**




71.48.700E

**Print mechanism VITA V 10X thermal transfer
pre-assembled w/o printhead**




71.48.700E

**Print mechanism VITA V 10X thermal transfer
pre-assembled w/o printhead**




71.48.700E

**Print mechanism VITA V 10X thermal transfer
pre-assembled w/o printhead**




71.48.700E

Print mechanism VITA V 10X thermal transfer
pre-assembled w/o printhead




71.48.700E

**Print mechanism VITA V 10X thermal transfer
pre-assembled w/o printhead**




71.48.700E

**Print mechanism VITA V 10X thermal transfer
pre-assembled w/o printhead**



71.48.700E

**Print mechanism VITA V 10X thermal transfer
pre-assembled w/o printhead**



71.48.700E

Print mechanism VITA V 10X thermal transfer
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
1*	10.87.020	Eccentric bearing	Vario/SPE/DPM/SPX/Vita/Flexicode	1
2	10.88.001	Bearing bush	Spectra/SPE/DPM/SPX/Vita/Flexicode/ILX/ALP	2
3	10.88.015	Spacer sleeve	Spectra/SPE/Vario/SPX/Vita	1
4*	10.88.020	Eccentric bearing	Spectra/SPE/SPX/Vita/Duoprint/ILX	1
5	12.41.41602	DISTANCE BOLT M4 X 16		3
6	12.41.43482	DISTANCE BOLT M4 X 34,8		6
7	12.41.45001	DISTANCE BOLT M4 X 50		2
8	16.01.007	Edge protection profile	in meters	0,14m
9*	16.01.011	Elastic bumper self-adhesive 20.6x20.6x7.6 mm		4
10	16.48.0050	Adjusting ring Viat V		1
11	16.48.008	Front panel, bottom left	Vita	1
12	16.48.0100	Guiding, inside	Vita V	1
13	16.48.020	Bogie wheel	Vita/ILX	1
14	16.48.025	Window	Vita/Pica II/Vario III	1
15	16.52.001A	Front panel graphics, top left	Compa II/Vita	1
16	16.52.158	Label unwinding roller	Compa II/Vita/Pica/Vario	1
17	16.88.055	Sprocket wheel	Spectra/SPE/DPM/Vario/SPX/Vita/Flexicode/ALP	1
18*	18.48.101	Pressure roller	Vita	2
19	26.52.005	Foil keyboard	Vita II/Compa II/Duoprint/Spectra LCD	1
20*	28.15.011	Connecting cable CPU-power supply 250 mm	Desco/DPM II/Spectra 216/Pica II/Dynacode	1
21	28.30.081	Grounded conductor 2	Vario/DPM/SPE/Dynacode/Pica/Flexicode/SPE II	1
22	28.30.500	CABLE		1
23*	28.42.195	PRINTHEAD CABLE POWER FOR COMPA V 104/108		1
24*	28.48.009	Buffer capacitor with cable		1
25*	28.48.0250	Winder supply line	VITA V	1
26	28.48.035A	Connecting cable, control unit-CPU	Vita II/Compa II/SPX II/Vario III/DC II/SPE II	1
27*	28.48.506	CONNECTING CABLE	POWER SUPPLY / CPU VITA V	1
28	28.87.005C	Photocell cable, transmission-reflexion photocell	SPE II	1

*Recommended spare part

Modifications and errors excepted

Vita V: 11.2023

11 / 54

71.48.700E

Print mechanism VITA V 10X thermal transfer
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
29	35.01.001	Mounting base self-adhesive 19x19 mm		1
30	35.01.005	Flexiprint harness bracket		1
31	35.01.011	Cord-Clip 8 mm		1
32	35.01.014	Aluminium clip		3
33	35.01.045	MOUNTING BRACKET		1
34	35.04.004	Tube 3.2 mm, black		0,02m
35	37.39.405	POWER SUPPLY		1
36	37.68.003	Double sided adhesive tape 9 mm		0,03
37	37.88.001	Rubber-sponge		0,01
38	37.89.015	PLUG		2
39	40.01.003V	Shaft protection 3.2 mm stainless		1
40	40.01.006V	Shaft protection 6 mm stainless		8
41	41.02.001	FAN SHAPED WASHER M3		2
42	41.02.002V	Fan shaped washer M4 stainless		2
43	41.03.003V	Lock washer M3 stainless		13
44	41.03.004V	Lock washer M4 stainless		18
45	41.03.008	Lock washer M8		1
46	45.48.0260	Pressure lever	Vita V	1
47	45.48.1010	Profile below 140 mm	Vita V	1
48	45.48.103	Profile, above 140 mm	Vita	1
49	46.48.1010	Return pulley	Vita V	1
50	46.48.1250			1
51	46.89.120-40	REWINDING SHAFT FOR RIBBON	ALP 10X	1
52	47.03.004V	Hexagon nut M4 stainless		1
53	47.04.001V	Hexagon nut M3 stainless		4
54	47.05.001V	Hexagon nut M4 stainless		3
55	47.08.001	Hexagon nut M8		1
56	48.01.870	Hexagon screw M8x70		1

*Recommended spare part

Modifications and errors excepted

Vita V: 11.2023

12 / 54

71.48.700E

Print mechanism VITA V 10X thermal transfer
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
57	48.10.005V	Setscrew M4x4 stainless		5
58	48.10.408V	Setscrew M4x8 stainless		2
59	48.13.001	Screw 2.9x9.5		3
60	48.13.212	Screw 22x4.5		2
61	48.14.110V	Pan screw M2x10 stainless		2
62	48.16.004V	Socket cap screw M4x25		1
63	48.16.304V	Socket cap screw M3x4 stainless		2
64	48.16.306V	Socket cap screw M3x6 stainless		6
65	48.16.312V	Socket cap screw M3x12 stainless		2
66	48.16.412V	Socket cap screw M4x12 stainless		3
67	48.16.416V	Socket cap screw M4x16 stainless		1
68	48.16.435V	Socket cap screw M4x35 stainless		1
69	48.16.460V	Socket cap screw M4x60 stainless		1
70	48.18.017	SPRING PRESSURE PART		1
71	48.19.408V	Socket cap screw A2 stainless M4x8		5
72	48.19.410V	Socket cap screw M4x10 stainless		4
73	48.19.412V	HEXAGON SCREW A2 M4X12 DIN7991		2
74	48.24.304V	Pan screw M3x4		2
75	48.24.306V	INBUS A2 STAINLESS M3x6		13
76	48.24.308V	INBUS A2 STAINLESS M3x8		2
77	48.24.406V	Pan screw M4x6 stainless		11
78	48.24.410V	INBUS A2 STAINLESS M4x10		8
79	48.26.410V	Screw-and-washer assembly M4x10		10
80	48.31.306V	Pan screw M3x6		7
81	50.01.009	Lock washer 5x2x0.3		2
82	50.01.012	Lock washer 18x8.15x1.0 stainless		3
83	50.01.031	Lock washer 12x8.2x0.2 stainless		3
84	50.01.046V	Lock washer M4 stainless		2

*Recommended spare part

Modifications and errors excepted

Vita V: 11.2023

13 / 54

71.48.700E

Print mechanism VITA V 10X thermal transfer
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
85	50.01.057V	Washer 3.2 stainless		7
86	50.01.065V	Lock washer 4.3 stainless		2
87*	50.88.001	Striker arm plate	Spectra/SPE/SPX/DPM III+IV/Vario II/Vita/FC/ALP	2
88	52.48.010	Spring	Vita/Pica	1
89*	52.55.010	Tension spring		1
90*	52.88.005	Compression spring	Spectra/DPM/SPE/Vario/SPX/Vita/Flexicode/ALP	2
91	55.03.010	Company logo "Valentin"		1
92	55.48.0050	for mounting frame	Vita V	1
93*	57.01.007	Grooved ball bearing		8
94*	57.28.005	Clip bearing	Pica/DPM III/SPE/Vita	1
95	57.52.001	Hinge		2
96	59.48.276	COGGED BELT		1
97	59.88.032	Toothed belt wheel	Spectra/SPE/SPX/Vita/Flexicode/ALP	1
98	59.88.033	Toothed belt wheel	Spectra/SPE/SPX/Vita/ILX	1
99*	59.88.406	Toothed belt	Spectra/SPE/Vita/Flexicode	1
100	67.48.0010	Cover, left	Vita V	1
101	67.48.0070	Chassis	Vita V	1
102	67.48.010A	ANGULAR STAY		1
103	67.48.0170	GUSSET PLATE		1
104	67.48.020	Angular stay	Vita II/Compa II	1
105	67.48.022	Conductive plate	Vita II/Compa II	1
106	67.48.025	Sole plate, above	Vita	1
107	67.48.0310	Sole plate, below	Vita V	1
108	67.48.035	Interface cover	Vita II/Compa II/Pica II/Duop/Vario III/Spectra II	1
109	67.48.1010	Base plate	Vita V	1
110	67.48.1050	Cover, right	Vita V	1
111	67.48.110	Printhead bracket	Vita	1
112	67.48.130	Tear-off edge	Vita/Duoprint 107/Spectra II 10X	1

*Recommended spare part

71.48.700E

Print mechanism VITA V 10X thermal transfer
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
113	67.52.012	Angle	Vita II/Compa II	1
114	67.88.030	Sole plate ribbon rewinder	Spectra/Spectra II/SPE/Vario/SPX/Vita	1
115	67.88.035	Sole plate ribbon unwinder	Spectra/SPE/SPX/Vita/ILX	1
116	70.48.0200	CPU complete	Vita V	1
117	71.48.0010	Stepper motor feed	Vita V	1
118*	71.48.0050	Power entry module cpl	Vita V	1
119*	71.48.0140	Ribbon photocell cpl	VITA V	1
120	71.48.016A	Printhead switch	Vita II	1
121*	71.48.0200	Label photocell		1
122	71.48.030A	Control unit SH3-III cpl	Vita/Comap/Duoprint/Dynacode/Spectra LCD/ALP	1
123	72.48.001	Washer, inside	Pica II/Vita II	1
124	72.48.0020	Washer, outside	Vita V	1
125	72.48.0050	Main plate cpl	Vita V	1
126	72.48.019	Toothed belt wheel cpl	Vita/ILX/Duoprint	1
127	72.48.1000	Pressure shaft cpl	Vita V	1
128	72.74.010	Bearing ring	ILX/Spectra II/LPM II/SPE II	1
129	72.87.101C	Ribbon rewinding/unwinding roller cpl	SPE II 10X	2
130*	72.88.048	Toothed belt wheel cpl	Spectra/SPE/Vario/SPX/Vita/Flexicode/ILX/ALP	1
131	72.88.070	Backfeed plate cpl	Spectra/SPE/DPM III/Vario/SPX/Vita/ILX/ALP	1
132	72.88.110	Brush shaft cpl	Spectra 107/Spectra 108/Vita/Duoprint 108	2

*Recommended spare part


Modifications and errors excepted

Vita V: 11.2023

15 / 54


71.48.750E

**Print mechanism VITA V 10X thermal
pre-assembled w/o printhead**




71.48.750E

Print mechanism VITA V 10X thermal
pre-assembled w/o printhead




71.48.750E

**Print mechanism VITA V 10X thermal
pre-assembled w/o printhead**




71.48.750E

**Print mechanism VITA V 10X thermal
pre-assembled w/o printhead**




71.48.750E

Print mechanism VITA V 10X thermal
pre-assembled w/o printhead




71.48.750E

**Print mechanism VITA V 10X thermal
pre-assembled w/o printhead**




71.48.750E

**Print mechanism VITA V 10X thermal
pre-assembled w/o printhead**



71.48.750E

**Print mechanism VITA V 10X thermal
pre-assembled w/o printhead**



71.48.750E

Print mechanism VITA V 10X thermal
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
1*	10.87.020	Eccentric bearing	Vario/SPE/DPM/SPX/Vita/Flexicode	1
2	12.41.41602	DISTANCE BOLT M4 X 16		3
3	12.41.45001	DISTANCE BOLT M4 X 50		2
4	16.01.007	Edge protection profile	in meters	0,14m
5*	16.01.011	Elastic bumper self-adhesive 20.6x20.6x7.6 mm		4
6	16.48.0050	Adjusting ring Viat V		1
7	16.48.008	Front panel, bottom left	Vita	1
8	16.48.0100	Guiding, inside	Vita V	1
9	16.48.020	Bogie wheel	Vita/ILX	1
10	16.48.025	Window	Vita/Pica II/Vario III	1
11	16.52.001A	Front panel graphics, top left	Compa II/Vita	1
12	16.52.158	Label unwinding roller	Compa II/Vita/Pica/Vario	1
13	16.55.002	Universal stopper 15.0-17.5		3
14*	18.48.101	Pressure roller	Vita	1
15	26.52.005	Foil keyboard	Vita II/Compa II/Duoprint/Spectra LCD	1
16	28.30.081	Grounded conductor 2	Vario/DPM/SPE/Dynacode/Pica/Flexicode/SPE II	1
17	28.30.500	CABLE		1
18*	28.42.190	PRINTHEAD CABLE POWER FOR COMPA III 103/108		1
19*	28.42.191	PRINTHEAD CABLE FOR COMPA III 104/108		1
20*	28.48.009	Buffer capacitor with cable		1
21*	28.48.0250	Winder supply line	VITA V	1
22	28.48.035A	Connecting cable, control unit-CPU	Vita II/Compa II/SPX II/Vario III/DC II/SPE II	1
23*	28.48.506	CONNECTING CABLE	POWER SUPPLY / CPU VITA V	1
24	28.87.005C	Photocell cable, transmission-reflexion photocell	SPE II	1
25	35.01.001	Mounting base self-adhesive 19x19 mm		1
26	35.01.005	Flexiprint harness bracket		1
27	35.01.011	Cord-Clip 8 mm		1
28	35.01.014	Aluminium clip		3

*Recommended spare part

Modifications and errors excepted

Vita V: 11.2023

24 / 54

71.48.750E

Print mechanism VITA V 10X thermal
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
29	35.01.045	MOUNTING BRACKET		1
30	37.39.405	POWER SUPPLY		1
31	37.68.003	Double sided adhesive tape 9 mm		0,03
32	37.88.001	Rubber-sponge		0,01
33	40.01.006V	Shaft protection 6 mm stainless		1
34	41.02.001	FAN SHAPED WASHER M3		2
35	41.02.002V	Fan shaped washer M4 stainless		2
36	41.03.003V	Lock washer M3 stainless		13
37	41.03.004V	Lock washer M4 stainless		17
38	41.03.008	Lock washer M8		1
39	45.48.0260	Pressure lever	Vita V	1
40	45.48.1010	Profile below 140 mm	Vita V	1
41	45.48.103	Profile, above 140 mm	Vita	1
42	46.48.101	Return pulley	Vita	1
43	47.03.004V	Hexagon nut M4 stainless		1
44	47.04.001V	Hexagon nut M3 stainless		4
45	47.05.001V	Hexagon nut M4 stainless		1
46	47.08.001	Hexagon nut M8		1
47	48.01.870	Hexagon screw M8x70		1
48	48.10.005V	Setscrew M4x4 stainless		3
49	48.13.001	Screw 2.9x9.5		3
50	48.14.110V	Pan screw M2x10 stainless		2
51	48.16.004V	Socket cap screw M4x25		1
52	48.16.304V	Socket cap screw M3x4 stainless		2
53	48.16.306V	Socket cap screw M3x6 stainless		4
54	48.16.412V	Socket cap screw M4x12 stainless		3
55	48.16.416V	Socket cap screw M4x16 stainless		1
56	48.18.017	SPRING PRESSURE PART		1

*Recommended spare part

71.48.750E

Print mechanism VITA V 10X thermal
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
57	48.19.408V	Socket cap screw A2 stainless M4x8		5
58	48.19.410V	Socket cap screw M4x10 stainless		4
59	48.19.412V	HEXAGON SCREW A2 M4X12 DIN7991		2
60	48.24.304V	Pan screw M3x4		1
61	48.24.306V	INBUS A2 STAINLESS M3x6		12
62	48.24.308V	INBUS A2 STAINLESS M3x8		2
63	48.24.406V	Pan screw M4x6 stainless		11
64	48.24.410V	INBUS A2 STAINLESS M4x10		8
65	48.26.410V	Screw-and-washer assembly M4x10		3
66	48.31.306V	Pan screw M3x6		7
67	50.01.009	Lock washer 5x2x0.3		2
68	50.01.012	Lock washer 18x8.15x1.0 stainless		1
69	50.01.057V	Washer 3.2 stainless		6
70	50.01.065V	Lock washer 4.3 stainless		1
71	52.48.010	Spring	Vita/Pica	1
72	55.03.010	Company logo "Valentin"		1
73	55.48.0050	for mounting frame	Vita V	1
74*	57.01.007	Grooved ball bearing		2
75*	57.28.005	Clip bearing	Pica/DPM III/SPE/Vita	1
76	57.52.001	Hinge		2
77	59.48.276	COGGED BELT		1
78	59.88.033	Toothed belt wheel	Spectra/SPE/SPX/Vita/ILX	1
79	67.48.0010	Cover, left	Vita V	1
80	67.48.0070	Chassis	Vita V	1
81	67.48.010A	ANGULAR STAY		1
82	67.48.0170	GUSSET PLATE		1
83	67.48.020	Angular stay	Vita II/Compa II	1
84	67.48.022	Conductive plate	Vita II/Compa II	1

*Recommended spare part

71.48.750E

Print mechanism VITA V 10X thermal
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
85	67.48.025	Sole plate, above	Vita	1
86	67.48.0310	Sole plate, below	Vita V	1
87	67.48.035	Interface cover	Vita II/Compa II/Pica II/Duop/Vario III/Spectra II	1
88	67.48.1010	Base plate	Vita V	1
89	67.48.1050	Cover, right	Vita V	1
90	67.48.110	Printhead bracket	Vita	1
91	67.48.130	Tear-off edge	Vita/Duoprint 107/Spectra II 10X	1
92	67.52.012	Angle	Vita II/Compa II	1
93	70.48.0200	CPU complete	Vita V	1
94	71.48.0010	Stepper motor feed	Vita V	1
95*	71.48.0050	Power entry module cpl	Vita V	1
96	71.48.016A	Printhead switch	Vita II	1
97*	71.48.0200	Label photocell		1
98	71.48.030A	Control unit SH3-III cpl	Vita/Comap/Duoprint/Dynacode/Spectra LCD/ALP	1
99	72.48.001	Washer, inside	Pica II/Vita II	1
100	72.48.0020	Washer, outside	Vita V	1
101	72.48.0050	Main plate cpl	Vita V	1
102	72.48.1000	Pressure shaft cpl	Vita V	1
103	72.88.110	Brush shaft cpl	Spectra 107/Spectra 108/Vita/Duoprint 108	2

*Recommended spare part

90.48.100E

Vita V 104/8 thermal transfer printer 200 dpi
with Labelstar Office Lite

Pos	Ident-No.	Description1	Description2	Quantity
1	24.01.012	Power cable 2 m		1
2*	37.04.1156	Thermal printhead 104-8	Pica II/Vita II, including intermediate layer	1
3	45.48.125	Guiding	Vita/Pica II	1
4	48.14.105V	Pan screw M2x5 stainless		3
5	48.20.406V	Socket cap screw M4x6 stainless		1
6	50.01.009V	Lock washer M2 stainless		3
7	71.48.700E	Print mechanism VITA V 10X thermal transfer	pre-assembled w/o printhead	1
8	89.02.002	Data cable USB 1.8 m plug A to plug B		1

*Recommended spare part

90.48.151E

Vita V 103/8 T thermal printer 200 dpi
with Labelstar Office Lite

Pos	Ident-No.	Description1	Description2	Quantity
1	24.01.012	Power cable 2 m		1
2*	37.04.3032	THERMAL PRINTHEAD VITA III 103/8	WITH INTERLAYER	1
3	45.48.127	Guiding	Vita II/Pica II	1
4	48.04.205V	Screw M2x5 stainless		3
5	48.20.406V	Socket cap screw M4x6 stainless		1
6	50.01.009V	Lock washer M2 stainless		3
7	71.48.750E	Print mechanism VITA V 10X thermal	pre-assembled w/o printhead	1
8	89.02.002	Data cable USB 1.8 m plug A to plug B		1

*Recommended spare part

90.48.200E

Vita V 106/12 thermal transfer printer 300 dpi
with Labelstar Office Lite

Pos	Ident-No.	Description1	Description2	Quantity
1	24.01.012	Power cable 2 m		1
2*	37.04.2326	Thermal printhead 106-12	Pica II/Vita II, including intermediate layer	1
3	45.48.125	Guiding	Vita/Pica II	1
4	48.14.105V	Pan screw M2x5 stainless		3
5	48.20.406V	Socket cap screw M4x6 stainless		1
6	50.01.009V	Lock washer M2 stainless		3
7	71.48.700E	Print mechanism VITA V 10X thermal transfer	pre-assembled w/o printhead	1
8	89.02.002	Data cable USB 1.8 m plug A to plug B		1

*Recommended spare part

90.48.251E

Vita V 108/12 T thermal printer 300 dpi
with Labelstar Office Lite

Pos	Ident-No.	Description1	Description2	Quantity
1	24.01.012	Power cable 2 m		1
2*	37.04.3082	THERMAL PRINTHEAD VITA III 108/12	WITH INTERLAYER	1
3	45.48.125	Guiding	Vita/Pica II	1
4	48.14.105V	Pan screw M2x5 stainless		3
5	48.20.406V	Socket cap screw M4x6 stainless		1
6	50.01.009V	Lock washer M2 stainless		3
7	71.48.750E	Print mechanism VITA V 10X thermal	pre-assembled w/o printhead	1
8	89.02.002	Data cable USB 1.8 m plug A to plug B		1

*Recommended spare part

90.48.300E


Vita V 106/24 thermal transfer printer 600 dpi
with Labelstar Office Lite

Pos	Ident-No.	Description1	Description2	Quantity
1	24.01.012	Power cable 2 m		1
2*	37.04.2345	Thermal printhead 106-24	Vita II, including intermediate layer	1
3	45.48.125	Guiding	Vita/Pica II	1
4	48.14.105V	Pan screw M2x5 stainless		3
5	48.20.406V	Socket cap screw M4x6 stainless		1
6	50.01.009V	Lock washer M2 stainless		3
7	71.48.700E	Print mechanism VITA V 10X thermal transfer	pre-assembled w/o printhead	1
8	89.02.002	Data cable USB 1.8 m plug A to plug B		1

*Recommended spare part

90.48.500E

Dispenser unit without photocell
Vita V, option



90.48.500E

Dispenser unit without photocell

Vita V, option

Pos	Ident-No.	Description1	Description2	Quantity
1	12.48.501	Bearing bolt	Vita/Pica	1
2	16.48.5100	SNAP-IN DEVICE		1
3	40.01.002V	Shaft protection 2.3 mm stainless		1
4	40.01.003V	Shaft protection 3.2 mm stainless		3
5	45.48.501	MOVEABLE BEARING		1
6	45.48.505	GUIDING		1
7	45.88.501	Dispensing pillar	Spectra/Vita	1
8	46.48.500	Shaft for pressure roller	Vita	1
9	46.88.515	Dispenser shaft	Spectra/Vita	1
10	48.10.004V	Setscrew M3x4 stainless		1
11	48.16.306V	Socket cap screw M3x6 stainless		1
12	48.19.306V	Socket cap screw M3x6 stainless		4
13	48.19.406V	Socket cap screw M4x6 stainless		2
14	48.48.001	Screw	Vita/Pica	1
15	52.10.005	Compression spring	Genio/Vita/Pica	1
16	67.48.5000	Dispenser angle	Vita V	1
17	72.29.501	Pressure roller cpl	Vita II/Pica II	1

*Recommended spare part


Modifications and errors excepted

Vita V: 11.2023

34 / 54

90.48.550E

Dispenser unit with photocell
Vita V, option




90.48.550E

Dispenser unit with photocell
Vita V, option

Pos	Ident-No.	Description1	Description2	Quantity
1	48.04.208V	Screw M2x8 stainless		1
2	50.01.009V	Lock washer M2 stainless		1
3	71.48.501A	Dispenser photocell cpl	Pica II/Vita II/Vario III	1
4	90.48.500E	Dispenser unit without photocell	Vita V, option	1

*Recommended spare part

90.48.650A
Cutter unit "Guillotine"
Vita II, option



Pos. 11 nicht gezeichnet
Pos. 11 not illustrated
Pos. 11 pas illustré
Pos. 11 sin ilustración

90.48.650A

Cutter unit "Guillotine"

Vita II, option

Pos	Ident-No.	Description1	Description2	Quantity
1	10.48.624	Bearing flange	Vita II/Pica II	1
2	10.55.201	Spacer	Vario/Vita II/Spectra II 216	2
3	12.48.605	Bearing bolt	Vita/Pica	1
4	12.48.624	Spring pillar	Vita II/Pica II	1
5	12.88.655	Adjusting screw	Spectra 216/Vita II	1
6	16.48.605	Guiding	Vita/Pica	1
7	16.48.614	Slide part	Vita II/Pica II	1
8	16.48.615	Label guiding	Vita II	1
9*	16.55.201	Sliding part	Vario/Spectra 216/Vita/Pica	1
10	28.48.020A	Connecting cable, cutter board-CPU	Vita II/Pica II	1
11	35.01.0021	CABLE JOINT		1
12	35.01.014	Aluminium clip		1
13	40.01.003	Shaft protection 3.2 mm		9
14	40.01.004	Shaft protection 4 mm		1
15	45.48.610	Whip bearing	Vita II/Pica II	1
16	45.48.614	Whip bearing	Vita II/Pica II	1
17	45.55.201	Strut	Vario/Vita/Pica	1
18	46.48.601	Bearing shaft	Vita/Pica	1
19	46.48.614	Bearing shaft	Vita II/Pica II	1
20	46.88.655	Whip shaft	Spectra 216/Vita II/Pica II	1
21	47.03.003	Hexagon nut M3		2
22	47.04.001	Hexagon nut M3		1
23	48.10.303	Setscrew M3x3		2
24	48.14.306	Pan screw M3x6		6
25	48.14.310	Pan screw M3x10		3
26	48.15.003	Countersunk screw M3x6		8
27	48.15.206	Pan screw M2.5x6		3
28	48.15.310	Countersunk screw M3x10		3

*Recommended spare part

90.48.650A

Cutter unit "Guillotine"

Vita II, option

Pos	Ident-No.	Description1	Description2	Quantity
29	48.15.408	Pan screw M4 x 8		1
30*	48.16.001	Knurled screw M3x6		1
31*	48.16.009	Knurled screw M3x8		3
32	48.16.306	Socket cap screw M3x6		6
33	48.16.310	Socket cap screw M3x10		2
34	50.01.057	Lock washer 3.2		8
35*	52.48.024	Spring	Vita II/Pica II	1
36*	57.02.090	Slide bearing		1
37*	57.03.012	Grooved ball bearing		1
38*	57.48.004	Slide bearing	Vita II/Pica II	1
39*	59.48.610	Driving gear	Vita II/Pica II	1
40	67.48.601	Cutter angle	Vita II/Pica II	1
41	67.48.614	Plate transverse	Vita II/Pica II	1
42	67.48.615	Motor cover	Vita II/Pica II	1
43	67.48.620	Front sheet	Vita	1
44	67.48.625	Bottom plate	Vita	1
45*	67.55.225	Cutter ledge fixed	Vario/Vita II/Pica II	1
46	67.55.245	Adjusting plate	Vario/Spectra 216/Vita II/Pica II	1
47	70.18.010	PCB cutter cpl	Micra/Vita II/Pica II/Vario III	1
48	71.48.650	Motor and photocell cpl	Pica II/Vita II	1
49*	72.48.605	Crank lever	Vita II/Pica II	1
50	72.48.624	Cutter sheet	Vita II/Pica II	1

*Recommended spare part


Modifications and errors excepted

Vita V: 11.2023

39 / 54

90.48.655

Cutter unit with antistatic brush
Vita II, option



90.48.655


Cutter unit with antistatic brush
Vita II, option

Pos	Ident-No.	Description1	Description2	Quantity
1	10.40.065	Spacer	Vita/Vario III Touch	2
2	37.48.655	Antistatic brush	Vita II	1
3	48.15.316	Countersunk screw M3x16		2
4	90.48.650A	Cutter unit "Guillotine"	Vita II, option	1

*Recommended spare part

90.48.700E

pressure roller quick change Vita V
option for new printer, no retrofit possible



90.48.700E

pressure roller quick change Vita V

option for new printer, no retrofit possible

Pos	Ident-No.	Description1	Description2	Quantity
1	12.41.33402	DISTANCE BOLT M3 X 34		3
2	16.56.045	Supporting piece	Vario III/Spectra II/ILX 10X/SPE II	1
3*	18.48.1010	Pressure roller 42 Shore A	Vita V	1
4	46.48.0200	DRIVING SHAFT		1
5	48.24.304V	Pan screw M3x4		2
6	48.26.306V	INBUS A2 STAINLESS M3x6		3
7	52.04.004	Cup spring		1
8*	57.01.002	Grooved ball bearing		1
9*	57.01.008	Grooved ball bearing		1
10	67.48.0300	Sole plate, below	Vita V	1
11	67.48.0330	SOLE PLATE		1

*Recommended spare part

Modifications and errors excepted


Vita V: 11.2023

43 / 54

90.48.786E

Dispensing Inputs/Outputs
Vita V, option

beigelegt
attached
ajoutés
adjunto



90.48.786E


Dispensing Inputs/Outputs
Vita V, option

Pos	Ident-No.	Description1	Description2	Quantity
1	25.04.016	Cover 15-pin		1
2	25.04.046	SUB-D 26-pin		1
3	25.04.100	SUB-D fixing set		1
4	28.83.052A	Connecting cable	SPX II	1
5	41.02.001	FAN SHAPED WASHER M3		1
6	47.04.001V	Hexagon nut M3 stainless		1
7*	70.39.005	I/O plate cpl		1
8	72.48.501	PCB guiding assembled		1

*Recommended spare part

92.48.001

Rewinder PR 48 for labels
Vita II/Pica II



92.48.001

Rewinder PR 48 for labels

Vita II/Pica II

Pos	Ident-No.	Description1	Description2	Quantity
1	10.63.041	Striker arm	PR30/PR25/PR26/PR28/PR48/PR49	1
2	10.63.045	Bearing	PR30/25/26/28/48/49	1
3*	12.15.035	Clasp	Spectra/Vario/PR28/PR48/PR49	1
4	12.48.905	Centering pin	PR 48/PR 49	2
5*	16.01.015	Elastic bumper self-adhesive 20.6x20.6x13.2 mm		2
6	16.28.045	Rewinding roller	PR28/48/49	1
7	21.01.060	Motor with drive 24V	PR28/PR48/PR49	1
8	28.48.925	Winder connecting cable for PR48/PR 45 II		1
9	29.02.005	Condenser		1
10	35.01.002	Cable joint 100x2.5 mm		1
11	35.05.030	Cover black		1
12	45.03.010	Motor bracket	PR30/PR25/PR26/PR28/PR48/PR49	1
13	45.25.001	SPACER BLOCK		1
14	48.02.001	Screw M4x12		1
15	48.10.004	Setscrew M3x4		2
16	48.14.110V	Pan screw M2x10 stainless		3
17	48.15.406	Countersunk screw M4 x 6		2
18	48.16.004	Socket cap screw M4x25		1
19	48.16.430	Socket cap screw M4x30		2
20	50.01.065	Lock washer 4.3		2
21	50.01.096	Lock washer 4.3x20x1.25		1
22	50.01.940	Striker arm plate	PR30/PR25/PR26/PR28/PR48/PR49	2
23*	52.01.007	Compression spring	Spectra/SPE/Vario/PR25/26/28/45/48/49/ILX	1
24	67.48.905	Base plate for PR48	Vita/Pica II	1

*Recommended spare part


Modifications and errors excepted

Vita V: 11.2023

47 / 54

92.48.010

Rewinder PR 49 for label carrier
Vita II/Pica II



92.48.010

Rewinder PR 49 for label carrier

Vita II/Pica II


Pos	Ident-No.	Description1	Description2	Quantity
1	10.63.041	Striker arm	PR30/PR25/PR26/PR28/PR48/PR49	1
2	10.63.045	Bearing	PR30/25/26/28/48/49	1
3*	12.15.035	Clasp	Spectra/Vario/PR28/PR48/PR49	1
4	12.48.905	Centering pin	PR 48/PR 49	2
5*	16.01.015	Elastic bumper self-adhesive 20.6x20.6x13.2 mm		2
6	16.28.045	Rewinding roller	PR28/48/49	1
7	21.01.060	Motor with drive 24V	PR28/PR48/PR49	1
8	28.48.930	Winder connecting cable for PR49	Vita/Pica	1
9	29.02.005	Condenser		1
10	35.01.002	Cable joint 100x2.5 mm		1
11	35.05.030	Cover black		1
12	45.03.010	Motor bracket	PR30/PR25/PR26/PR28/PR48/PR49	1
13	45.25.001	SPACER BLOCK		1
14	46.15.040	Return pulley	Desco/PR28/PR49/Pica	1
15	48.02.001	Screw M4x12		1
16	48.10.004	Setscrew M3x4		2
17	48.14.110V	Pan screw M2x10 stainless		3
18	48.15.406	Countersunk screw M4 x 6		2
19	48.16.004	Socket cap screw M4x25		1
20	48.16.410	Socket cap screw M4x10		1
21	48.16.430	Socket cap screw M4x30		1
22	50.01.065	Lock washer 4.3		3
23	50.01.096	Lock washer 4.3x20x1.25		1
24	50.01.940	Striker arm plate	PR30/PR25/PR26/PR28/PR48/PR49	2
25*	52.01.007	Compression spring	Spectra/SPE/Vario/PR25/26/28/45/48/49/ILX	1
26	67.48.915	Base plate for PR49	Vita/Pica II	1

*Recommended spare part

92.66.014

Rewinder PR 45 II

diameter = 270 mm, max print speed up to 300 mm/s



92.66.014

Rewinder PR 45 II

diameter = 270 mm, max print speed up to 300 mm/s

Pos	Ident-No.	Description1	Description2	Quantity
1	10.92.010	Intermediate ring	PR45 II	1
2	10.92.030	Adjusting ring	PR 45	1
3	12.92.010	Clamp	PR45	1
4*	16.01.011	Elastic bumper self-adhesive 20.6x20.6x7.6 mm		4
5	16.92.005	Rewinding roll	PR45	1
6	16.92.007	Bogie wheel	PR45	1
7	16.92.009	Bearing	PR45	1
8	25.05.001	CONNECTOR		0,3
9	25.09.002	Ferrule 0.25		2
10	26.01.048	Switch 2pin		1
11	28.48.925	Winder connecting cable for PR48/PR 45 II		1
12	28.92.003	Cable cpl	PR 45	2
13	28.92.015	Adapter cable		1
14	29.02.005	Condenser		1
15	30.08.010	Resistance 22 OHM 10%		1
16	35.01.002	Cable joint 100x2.5 mm		1
17	40.01.004	Shaft protection 4 mm		1
18	41.01.007	Rosette 4x9 mm		2
19	41.03.006	Lock washer M6		1
20	42.03.002	Grooved taper pin 2x6		1
21	46.92.005	Return pulley	PR45	1
22	48.10.005	Setscrew M4x4		3
23	48.15.002	Pan screw M4x10		3
24	48.15.003	Countersunk screw M3x6		2
25	48.15.308	Countersunk screw M3x8		2
26	48.15.312	Countersunk screw M3x12		2
27	48.16.312	Socket cap screw M3x12		5
28	48.16.410	Socket cap screw M4x10		2

*Recommended spare part

92.66.014

Rewinder PR 45 II


diameter = 270 mm, max print speed up to 300 mm/s

Pos	Ident-No.	Description1	Description2	Quantity
29	48.16.412	Socket cap screw M4x12		1
30	48.20.612	Socket cap screw M6x12		1
31	50.01.057	Lock washer 3.2		4
32	50.01.065	Lock washer 4.3		2
33	50.01.096	Lock washer 4.3x20x1.25		1
34	50.15.005	Brake washer	Spectra/Vario/Vita/ILX/Duoprint, only replacement	2
35*	52.01.007	Compression spring	Spectra/SPE/Vario/PR25/26/28/45/48/49/ILX	1
36*	57.01.006	Grooved ball bearing		2
37	59.02.045	Toothed belt wheel	PR45 II	1
38	59.02.459	COGGED BELT DRIVE		1
39	66.92.002	BOTTOM PLATE		1
40	66.92.006	COVER BASE		1
41	66.92.016	COVER		1
42	71.92.003	Motor cpl	PR45 II	1
43	72.92.016	Support cpl	PR45 II	1
44	72.92.018	Bearing shaft cpl	PR45 II	1
45	72.92.020	Brake ring cpl	PR45	1
46	72.92.027	Roller disc cpl 270/40 mm	PR45	2

*Recommended spare part

92.66.050A

Unwinder PA 50A, for label core 40 mm
Compa/Vario/Vita/Spectra



92.66.050A

Unwinder PA 50A, for label core 40 mm
Compa/Vario/Vita/Spectra

Pos	Ident-No.	Description1	Description2	Quantity
1*	16.01.011	Elastic bumper self-adhesive 20.6x20.6x7.6 mm		4
2	46.92.010	Return pulley	PA50A	1
3	48.15.412	Pan screw M4x12		2
4	66.92.103	Unwinding unit	Compa/Vario/Spectra	1
5	72.92.075	Roller bearing shaft cpl 40 mm	PA50/PA60	1

*Recommended spare part